

HIGH QUALITY PRILLED COMPLEX FERTILISER

Contains *N, P, K* and *S* in each granule

Packaging: In bulk, 50-kg bags, and big bags

NPKS (MOP) 19-16-8+3S

NITROGEN	19.0 % MIN
PHOSPHORUS (P ₂ O ₅) CITRATE SOLUBLE	16.0 % MIN
PHOSPHORUS (P ₂ O ₅) WATER SOLUBLE	12.0 % MIN
POTASSIUM (K ₂ O)	8.0 % MIN
SULPHUR (S)	3.0 % MIN
MOISTURE	1.0 % MAX
GRANULOMETRY:	
UP TO 1MM	3 % MAX
1-4 MM	90 % MIN
UP TO 6 MM	100 %
STATIC PRILL STRENGTH, MPa (kGf/ cm ²)	4 (40)
FRIABILITY	100 %
SAFETY	NON-HAZARDOUS
FREE FLOWING, FREE FROM HARMFUL SUBSTANCES	

NPKS (MOP) 18-6-18+2S+2Mg

NITROGEN	18.0 % MIN
PHOSPHORUS (P ₂ O ₅) CITRATE SOLUBLE	6.0 % MIN
PHOSPHORUS (P ₂ O ₅) WATER SOLUBLE	4.0 % MIN
POTASSIUM (K ₂ O)	18.0 % MIN
MAGNESIUM (MgO)	2.0 % MIN
SULPHUR (S)	2.0 % MIN
MOISTURE	1.0 % MAX
GRANULOMETRY:	
UP TO 1MM	3 % MAX
1-4 MM	90 % MIN
UP TO 6 MM	100 %
STATIC PRILL STRENGTH, MPa (kGf/ cm ²)	4 (40)
FRIABILITY	100 %
SAFETY	NON-HAZARDOUS
FREE FLOWING, FREE FROM HARMFUL SUBSTANCES	

HIGH QUALITY PRILLED COMPLEX FERTILISER

Contains *N*, *P* and *S* in each granule

Packaging: In bulk, 50-kg bags, and big bags

NPS 22-20+2S

NITROGEN	22.0 % MIN
PHOSPHORUS (P ₂ O ₅) CITRATE SOLUBLE	20.0 % MIN
PHOSPHORUS (P ₂ O ₅) WATER SOLUBLE	15.0 % MIN
SULPHUR (S)	2.0 % MIN
MOISTURE	1.0 % MAX
GRANULOMETRY:	
UP TO 1MM	3 % MAX
1-4 MM	90 % MIN
UP TO 6 MM	100 %
STATIC PRILL STRENGTH, MPa (kGf/ cm ²)	4 (40)
FRIABILITY	100 %
SAFETY	NON-HAZARDOUS
FREE FLOWING, FREE FROM HARMFUL SUBSTANCES	

NPS 22-18+4S

NITROGEN	22.0 % MIN
PHOSPHORUS (P ₂ O ₅) CITRATE SOLUBLE	18.0 % MIN
PHOSPHORUS (P ₂ O ₅) WATER SOLUBLE	13.0 % MIN
SULPHUR (S)	4.0 % MIN
MOISTURE	1.0 % MAX
GRANULOMETRY:	
UP TO 1MM	3 % MAX
1-4 MM	90 % MIN
UP TO 6 MM	100 %
STATIC PRILL STRENGTH, MPa (kGf/ cm ²)	4 (40)
FRIABILITY	100 %
SAFETY	NON-HAZARDOUS
FREE FLOWING, FREE FROM HARMFUL SUBSTANCES	

NPS 22-15+7S

NITROGEN	22.0 % MIN
PHOSPHORUS (P ₂ O ₅) CITRATE SOLUBLE	15.0 % MIN
PHOSPHORUS (P ₂ O ₅) WATER SOLUBLE	10.0 % MIN
SULPHUR (S)	7.0 % MIN
MOISTURE	1.0 % MAX
GRANULOMETRY:	
UP TO 1MM	3 % MAX
1-4 MM	90 % MIN
UP TO 6 MM	100 %
STATIC PRILL STRENGTH, MPa (kGf/ cm ²)	4 (40)
FRIABILITY	100 %
SAFETY	NON-HAZARDOUS
FREE FLOWING, FREE FROM HARMFUL SUBSTANCES	